


# Blindspace® S110x130


## for Large Standard Roller Blind

### S110x130 R Head Box




### SAMPLE INSTALLATION DETAIL



1:2 scale




### SKIM COAT FLANGES LOCATION OPTIONS



### PRODUCT REFERENCE



Product	Blindspace S110x130
Description	Recessed extruded aluminium boxes and covers designed to conceal window blinds.
Material	Anodized Aluminium, grade: EN 6063 T6
Finishes	- Unfinished for site painting - Primed for site painting - Pre-finished to RAL colour
Blind sizes	Blind Sizes to fit inside the box: Large Standard Roller Blind Exact size depending on fabric and hembar selection. Opening Width max: 4000mm Opening Height max: 3800mm
Installation	Boxes should be fixed on both sides. The finished plaster level should be flush with chamfered edge. Anchoring countersink screws through skim coat flanges are recommended.
Drawing	Standard Blindspace Boxes S110x130 for Window Blinds
Item name	S110x130
Date	September, 2018
Notes	Dimensions in mm Do not scale from drawing
Drawn by	M. Kozak, B. Dzieza
Approved	A. Sundelin
Revision	R-0: first issue R-1: naming update



**INSTALLATION NOTE:**  
Make sure there is space for window/door handles. Boxes and blinds can also be mirrored in vertical plane for opening towards the room.

**DISCLAIMER:**  
Note that the architectural detail is shown for reference only and might not show proper solution for a specific building application. All architectural details shown shall not be used for construction, and shall be drawn by an architect accordingly to a specific building section. Drawing intent shows possible placement of Blindspace® and/or Reese™ products within generic drywall application.

Print date	2018-9-28
Print file	blindspace s110x130 for windows with large std roller blind v10.dwg
Page size	ISO A3 420x297
Remarks	